	Type	L #	Search Text	DBs
1	BRS	L1	(mask same writ$4) and (design same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	(mask same writ$4) and (design same data) and layer and opc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	(mask same writ$4) and (design same data) and layer and opc and feature and context	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Search Text	DBs
4	BRS	L4	(mask same writ$4) and (design same data) and layer and opc and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	(mask same writ$4) and (design same data) and (multiple same layer) and print and opc and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	(mask near6 writ$4) and (multiple same layer) and print and opc and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Search Text	DBs
7	BRS	L7	(mask near6 writ$4) and (multiple same layer) and print$4 and opc and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	(mask same writ$4) and (design same data) and (multiple same layer) and print$4 and opc and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	(mask same writ$4) and (design same data) and (multiple same layer) and opc and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Search Text	DBs
10	BRS	L10	(mask same writ$4) and opc and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	(mask same writ$4) and opc and print and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	(mask near6 writ$4) and opc and print and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Search Text	DBs
13	BRS	L13	(mask near6 writ$4) and opc and print and layer and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	(mask near6 writ$4) and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	(mask near6 writ$4) and opc and layer and ("716"/$.ccls. or "430"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

IEEE Xplore

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(mask <and> writing <and> layer <and> opc <and> lithography<in>metadata)"   ☑ e-mail
Your search matched **31** of **1144303** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(mask <and> writing <and> layer <and> opc <and> lithography<in>metadata)   ⏩

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

Select   Article Information

☐   **1. Impact of high resolution lithography on IC mask design**
Pugh, G.; Canning, J.; Roman, B.;
Custom Integrated Circuits Conference, 1998., Proceedings of the IEEE 1998
11-14 May 1998 Page(s):149 - 153
AbstractPlus | Full Text: PDF(572 KB)   IEEE CNF

☐   **2. Limits of lithography**
Harriott, L.R.;
Proceedings of the IEEE
Volume 89, Issue 3, March 2001 Page(s):366 - 374
AbstractPlus | References | Full Text: PDF(136 KB)   IEEE JNL

☐   **3. Pushing the limits of lithography for IC production**
Brunner, T.;
Electron Devices Meeting, 1997. Technical Digest., International
7-10 Dec. 1997 Page(s):9 - 13
AbstractPlus | Full Text: PDF(928 KB)   IEEE CNF

☐   **4. Progress in device processing for advanced ULSI-impact on lithography**
Saitou, N.;
Ion Implantation Technology Proceedings, 1998 International Conference on
Volume 1, 22-26 June 1998 Page(s):8 - 13 vol.1
AbstractPlus | Full Text: PDF(492 KB)   IEEE CNF

☐   **5. A cost-driven lithographic correction methodology based on off-the-shelf sizing**
Gupta, P.; Kahng, A.B.; Sylvester, D.; Yang, J.;
Design Automation Conference, 2003. Proceedings
2-6 June 2003 Page(s):16 - 21
AbstractPlus | Full Text: PDF(701 KB)   IEEE CNF

☐   **6. Subwavelength lithography and its potential impact on design and EDA**
Kahng, A.B.; Pati, Y.C.;
Design Automation Conference, 1999. Proceedings. 36th
21-25 June 1999 Page(s):799 - 804
AbstractPlus | Full Text: PDF(764 KB)   IEEE CNF

7. **Nanophotonic waveguides in silicon-on-insulator fabricated with CMOS technolo**
   Bogaerts, W.; Baets, R.; Dumon, P.; Wiaux, V.; Beckx, S.; Taillaert, D.; Luyssaert, B.; \
   J.; Bienstman, P.; Van Thourhout, D.;
   Lightwave Technology, Journal of
   Volume 23, Issue 1, Jan. 2005 Page(s):401 - 412
   AbstractPlus | Full Text: PDF(2568 KB)   IEEE JNL

8. **Fabrication of photonic crystals in silicon-on-insulator using 248-nm deep UV litl**
   Bogaerts, W.; Wiaux, V.; Taillaert, D.; Beckx, S.; Luyssaert, B.; Bienstman, P.; Baets, F
   Selected Topics in Quantum Electronics, IEEE Journal of
   Volume 8, Issue 4, July-Aug. 2002 Page(s):928 - 934
   AbstractPlus | References | Full Text: PDF(651 KB)   IEEE JNL

9. **Photomasks for advanced lithography**
   Smith, W.; Tybula, W.;
   Electronics Manufacturing Technology Symposium, 1997., Twenty-First IEEE/CPMT In
   13-15 Oct. 1997 Page(s):342 - 345
   AbstractPlus | Full Text: PDF(364 KB)   IEEE CNF

10. **Low energy e-beam proximity lithography (LEEPL)**
    Utsumi, T.;
    Microprocesses and Nanotechnology Conference, 1999. Digest of Papers. Microproce:
    Nanotechnology '99. 1999 International
    6-8 July 1999 Page(s):32 - 33
    AbstractPlus | Full Text: PDF(92 KB)   IEEE CNF

11. **SCALPEL: projection electron beam lithography**
    Harriott, L.R.;
    Particle Accelerator Conference, 1999. Proceedings of the 1999
    Volume 1, 27 March-2 April 1999 Page(s):595 - 599 vol.1
    AbstractPlus | Full Text: PDF(608 KB)   IEEE CNF

12. **Manufacturing-aware physical design**
    Gupta, P.; Kahng, A.B.;
    Computer Aided Design, 2003. ICCAD-2003. International Conference on
    9-13 Nov. 2003 Page(s):681 - 687
    AbstractPlus | Full Text: PDF(622 KB)   IEEE CNF

13. **Standard cell layout with regular contact placement**
    Jun Wang; Wong, A.K.; Lam, E.Y.;
    Semiconductor Manufacturing, IEEE Transactions on
    Volume 17, Issue 3, Aug. 2004 Page(s):375 - 383
    AbstractPlus | References | Full Text: PDF(1512 KB)   IEEE JNL

14. **Advanced lithography for ULSI**
    Bokor, J.; Neureuther, A.R.; Oldham, W.G.;
    Circuits and Devices Magazine, IEEE
    Volume 12, Issue 1, Jan. 1996 Page(s):11 - 15
    AbstractPlus | References | Full Text: PDF(1024 KB)   IEEE JNL

15. **Comparison of electrical and SEM CD measurements on binary and alternating a**
    shifting masks
    Smith, S.; McCallum, M.; Walton, A.J.; Stevenson, J.T.M.; Lissimore, A.;
    Semiconductor Manufacturing, IEEE Transactions on
    Volume 16, Issue 2, May 2003 Page(s):266 - 272
    AbstractPlus | References | Full Text: PDF(829 KB)   IEEE JNL

16. **Microlithography: trends, challenges, solutions, and their impact on design**
Wong, A.K.;
Micro, IEEE
Volume 23, Issue 2, March-April 2003 Page(s):12 - 21

AbstractPlus | References | Full Text: PDF(457 KB)   IEEE JNL

17. **Laser scanning for semiconductor mask pattern generation**
Allen, P.C.;
Proceedings of the IEEE
Volume 90, Issue 10, Oct. 2002 Page(s):1653 - 1669

AbstractPlus | References | Full Text: PDF(725 KB) | Full Text: HTML   IEEE JNL

18. **Is there light at the end of the road for optical lithography?**
Levinson, H.J.;
Circuits and Devices Magazine, IEEE
Volume 18, Issue 4, July 2002 Page(s):50 - 58

AbstractPlus | References | Full Text: PDF(2146 KB)   IEEE JNL

19. **High-throughput mapping of short-range spatial variations using active electrica**
Xu Ouyang; Berglund, C.N.; Fabian, R.;
Semiconductor Manufacturing, IEEE Transactions on
Volume 15, Issue 1, Feb. 2002 Page(s):108 - 117

AbstractPlus | References | Full Text: PDF(1079 KB)   IEEE JNL

20. **Analysis of the impact of proximity correction algorithms on circuit performance**
Li Chen; Milor, L.S.; Ouyang, C.H.; Maly, W.; Yeng-Kaung Peng;
Semiconductor Manufacturing, IEEE Transactions on
Volume 12, Issue 3, Aug. 1999 Page(s):313 - 322

AbstractPlus | References | Full Text: PDF(284 KB)   IEEE JNL

21. **Practical applications of 2-D optical proximity corrections for enhanced performa
random logic devices**
Chuang, H.; Gilbert, P.; Grobman, W.; Kling, M.; Lucas, K.; Reich, K.; Roman, B.; Trav
Vuong, T.; West, J.;
Electron Devices Meeting, 1997. Technical Digest., International
7-10 Dec. 1997 Page(s):483 - 486

AbstractPlus | Full Text: PDF(784 KB)   IEEE CNF

22. **Requirements and challenges for lithography...beyond 193 nm optics**
Canning, J.;
Microelectronic Test Structures, 1998. ICMTS 1998., Proceedings of the 1998 Internati
on
23-26 March 1998 Page(s):25 - 28

AbstractPlus | Full Text: PDF(456 KB)   IEEE CNF

23. **Applications of mathematical systems science to nanolithography of integrated**
Schaper, C.; Kailath, T.;
University/Government/Industry Microelectronics Symposium, 1999. Proceedings of th
Biennial
20-23 June 1999 Page(s):120 - 122

AbstractPlus | Full Text: PDF(284 KB)   IEEE CNF

24. **A novel approach to simulate the effect of optical proximity on MOSFET paramet**
Balasinski, A.; Gangala, H.; Axelrad, V.; Boksha, V.;
Electron Devices Meeting, 1999. IEDM Technical Digest. International
5-8 Dec. 1999 Page(s):913 - 916

AbstractPlus | Full Text: PDF(336 KB)   IEEE CNF

25. **Applications of control and signal processing to the microlithographic process**
Schaper, C.D.; Kailath, T.; El-Awady, K.; Tay, A.;
Industrial Electronics Society, 1999. IECON '99 Proceedings. The 25th Annual Confere
Volume 1, 29 Nov.-3 Dec. 1999 Page(s):1 - 5 vol.1

AbstractPlus | Full Text: PDF(468 KB)   IEEE CNF